

Material Safety Data Sheet  
 May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072



IDENTITY (As Used on Label and List)  
**KOLOR KUT WATER FINDING PASTE**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I**

Manufacturer's Name <b>KOLOR KUT PRODUCTS COMPANY</b>	Emergency Telephone Number <b>713-926-4780</b>
Address (Number, Street, City, State, and ZIP Code) <b>7915 EAST ELM</b>	Telephone Number for Information <b>713-926-4780</b>
<b>HOUSTON, TX 77012</b>	Date Prepared <b>March 1, 2006</b>
	Signature of Preparer (optional) <b>D.M. FRAUENBERGER</b>

**Section II — Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
---	----------	-----------	--------------------------	--------------

ALL INGREDIENTS NON HAZARDOUS

KOLOR KUT WATER FINDING PASTE DOES NOT REQUIRE AN ODC WARNING LABEL (1990 Clean Air Act-Section 611) AS IT DOES NOT CONTAIN CLASS I OR CLASS II ODC'S NOR HAS IT BEEN MANUFACTURED WITH A CLASS I OR CLASS II ODC.

**HAZARD INFORMATION LABEL DATA:**

FLAMMABILITY...1  
 HEALTH.....0  
 REACTIVITY.....0  
 SPECIAL.....0

**Section III — Physical/Chemical Characteristics**

Boiling Point	650°F	Specific Gravity (H <sub>2</sub> O = 1)	1.1
Vapor Pressure (mm Hg.)	.1	Melting Point	n/a
Vapor Density (AIR = 1)	n/a	Evaporation Rate (Butyl Acetate = 1)	n/a

Solubility in Water  
**COMPLETELY MISCIBLE**

Appearance and Odor  
**BROWN SEMISOLID, SLIGHT AMMONIA ODOR**

**Section IV — Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>365°F TAG OPEN CUP</b>	Flammable Limits (STP IN AIR)	LEL not det	UEL not det
Extinguishing Media <b>WATER FOG, FOAM, CO2 DRY CHEMICAL</b>			
Special Fire Fighting Procedures <b>NONE</b>			

Unusual Fire and Explosion Hazards  
**NONE KNOWN**

**Section V — Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	XX	NONE KNOWN
Incompatibility (Materials to Avoid) <b>OXIDATING AGENTS &amp; ACIDS</b>			
Hazardous Decomposition or Byproducts <b>NONE KNOWN</b>			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XX	NONE KNOWN

**Section VI — Health Hazard Data**

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	NONE KNOWN AT NORMAL TEMPERATURE	Mild Irritation	
Health Hazards (Acute and Chronic)			

If ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
NO	NO	NO	NO

Signs and Symptoms of Exposure **Irritation & bad odor**

Medical Conditions Generally Aggravated by Exposure **Not Determined**

Emergency and First Aid Procedures **Control contact & maintain at a minimum**

**Section VII — Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled **Unlikely, contain spill and wipe up. Not a hazardous waste.**

Waste Disposal Method **Dispose of as per local, state & federal laws for non hazardous waste.**

Precautions to Be Taken in Handling and Storing **Do not expose to high temperatures or water contamination, do not freeze (for preservation of product only).**

Other Precautions **None known**

**Section VIII — Control Measures**

Respiratory Protection (Specify Type) <b>None Required</b>			
Ventilation	Local Exhaust	Special	
	Mechanical (General)	Other	
	n/a	n/a	
	n/a	n/a	
Protective Gloves	<b>If desired, not necessary</b>	Eye Protection	<b>Protective Eye Glasses</b>
Other Protective Clothing or Equipment	<b>None required</b>		
Work/Hygienic Practices	<b>Be clean, after applying, clean hands with soap &amp; water</b>		

**Material Safety Data Sheet**  
 May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

**U.S. Department of Labor**  
 Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072



**IDENTITY (As Used on Label and List)**  
**KOLOR KUT GASOLINE GAUGING PASTE**

*Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.*

**Section I**

<b>Manufacturer's Name</b> KOLOR KUT PRODUCTS COMPANY	<b>Emergency Telephone Number</b> 713-926-4780
<b>Address (Number, Street, City, State, and ZIP Code)</b> 7915 EAST ELM STREET	<b>Telephone Number for Material Safety Data Sheet</b> 713-926-4780
<b>HOUSTON, TX 77012</b>	<b>Date Prepared</b> MARCH 1, 2006
	<b>Signature of Preparer (optional)</b> DM FRAUENBERGER

**Section II — Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
---	----------	-----------	--------------------------	--------------

ALL INGREDIENTS NON HAZARDOUS

KOLOR KUT GASOLINE GAUGING PASTE does not require an ODC Warning Label (1990 Clean Air Act—Sect 611) as it does not contain Class I or Class II ODC'S nor has it been manufacture with a Class I or Class II ODC

**HAZARD INFORMATION LABEL DATA:**

FLAMMABILITY... 3  
 HEALTH..... 0  
 REACTIVITY..... 0  
 SPECIAL..... 0

**Section III — Physical/Chemical Characteristics**

<b>Boiling Point</b>	212°F	<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	aprox. 1
<b>Vapor Pressure (mm Hg.)</b>	n/a	<b>Melting Point</b>	aprox. 120°
<b>Vapor Density (AIR = 1)</b>	n/a	<b>Evaporation Rate (Butyl Acetate = 1)</b>	none
<b>Solubility in Water</b>	yes		
<b>Appearance and Odor</b>	LIGHT PINK SEMISOLID		

**Section IV — Fire and Explosion Hazard Data**

<b>Flash Point (Method Used)</b> NONE	<b>Flammable Limits</b> n/a	<b>LEL</b> n/a	<b>UEL</b> n/a
<b>Extinguishing Media</b>			
<b>Special Fire Fighting Procedures</b> none			
<b>Unusual Fire and Explosion Hazards</b> NONE			

**Section V -- Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	XX	NONE KNOWN

Incompatibility (Materials to Avoid) **OXIDATING AGENTS & ACIDS**

Hazardous Decomposition or Byproducts **NONE KNOWN.**

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XX	NONE KNOWN

**Section VI -- Health Hazard Data**

Route(s) of Entry:                      Inhalation?                      Skin?                      Ingestion?  
**NONE KNOWN AT NORMAL TEMPERATURE      Mild Irritation**

Health Hazards (Acute and Chronic)

**If ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.**

Carcinogenicity:                      NO                      NTP? NO                      IARC Monographs? NO                      OSHA Regulated? NO

Signs and Symptoms of Exposure **Irritation & bad odor**

Medical Conditions Generally Aggravated by Exposure **Not Determined**

Emergency and First Aid Procedures **Control contact & maintain at a minimum**

**Section VII -- Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled  
**Unlikely, contain spill and wipe up. Not a hazardous waste.**

Waste Disposal Method **Dispose of as per local, state & federal laws for non hazardous waste.**

Precautions to Be Taken in Handling and Storing  
**Do not expose to high temperatures or water contamination, do not freeze (for preservation of product only).**

Other Precautions **None known**

**Section VIII -- Control Measures**

Respiratory Protection (Specify Type)  
**None Required**

Ventilation	Local Exhaust n/a	Special n/a
	Mechanical (General) n/a	Other n/a

Protective Gloves **if desired, not necessary**                      Eye Protection **Protective Eye Glasses**

Other Protective Clothing or Equipment **None required**

Work/Hygienic Practices **Be clean, after applying, clean hands with soap & water**

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTITY (As Used on Label and List)  
**KOLOR KUT MODIFIED WATER FINDING PASTE**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I (M-3)**

Manufacturer's Name <b>KOLOR KUT PRODUCTS COMPANY</b>	Emergency Telephone Number <b>713-926-4780</b>
Address (Number, Street, City, State, and ZIP Code) <b>7915 EAST ELM STREET</b>	Telephone Number for Information <b>713-926-4780</b>
<b>HOUSTON, TX 77012</b>	Date Prepared <b>March 1, 2006</b>
	Signature of Preparer (optional) <b>D. M. FRAUENBERGER</b>

**Section II — Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (option)
<b>ALL INGREDIENTS NON HAZARDOUS</b>				

KOLOR KUT MODIFIED WATER FINDING PASTE (M-3) does not require an ODC Warning Label (1990 Clean Air Act-Section 611) as it does not contain Class I or Class II ODC's nor has it been manufactured with a Class I or Class II ODC.

**HAZARD INFORMATION LABEL DATA:**

FLAMMABILITY **1**  
HEALTH **0**  
REACTIVITY **0**  
SPECIAL **0**

**Section III — Physical/Chemical Characteristics**

Boiling Point	<b>650°F</b>	Specific Gravity (H <sub>2</sub> O = 1)	<b>1.1</b>
Vapor Pressure (mm Hg.) @20°C	<b>.1</b>	Melting Point	<b>n/a</b>
Vapor Density (AIR = 1)	<b>n/a</b>	Evaporation Rate (Butyl Acetate = 1)	<b>n/a</b>

Solubility in Water  
**Completely miscible**

Appearance and Odor  
**Brown semi-solid, slight ammonia odor.**

**Section IV — Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>365°F</b>	Flammable Limits (STP IN AIR)	LEL not det.	UEL not det.
---	----------------------------------	-----------------	-----------------

Extinguishing Media  
**Water fog, Foam, CO<sub>2</sub>, Dry Chemical**

Special Fire Fighting Procedures  
**None Known**

Unusual Fire and Explosion Hazards

**Section V — Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	XX	NONE KNOWN

Incompatibility (Materials to Avoid) **OXIDATING AGENTS & ACIDS**

Hazardous Decomposition or Byproducts **NONE KNOWN**

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XX	NONE KNOWN

**Section VI — Health Hazard Data**

Route(s) of Entry: Inhalation? Skin? Ingestion?  
**NONE KNOWN AT NORMAL TEMPERATURE Mild Irritation**

Health Hazards (Acute and Chronic)  
**If ingested, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.**

Carcinogenicity: NO NTP? NO IARC Monographs? NO OSHA Regulated? NO

Signs and Symptoms of Exposure **Irritation & bad odor**

Medical Conditions Generally Aggravated by Exposure **Not Determined**

Emergency and First Aid Procedures **Control contact & maintain at a minimum**

**Section VII — Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled  
**Unlikely, contain spill and wipe up. Not a hazardous waste.**

Waste Disposal Method **Dispose of as per local, state & federal laws for non hazardous waste.**

Precautions to Be Taken in Handling and Storing  
**Do not expose to high temperatures or water contamination, do not freeze (for preservation of product only).**

Other Precautions **None known**

**Section VIII — Control Measures**

Respiratory Protection (Specify Type)  
**None Required**

Ventilation	Local Exhaust n/a	Special n/a
	Mechanical (General) n/a	Other n/a

Protective Gloves **if desired, not necessary** Eye Protection **Protective Eye Glasses**

Other Protective Clothing or Equipment **None required**

Work/Hygienic Practices **Be clean, after applying, clean hands with soap & water**